



Request for Resharpener

MUST ACCOMPANY ALL ORDERS

Phone: 714-632-3000 Fax: 714-632-3001

1021 N. Shepard Street, Anaheim, CA 92806 USA

Sold To Information							
Distributor:				PO#:			
Contact:							
Address:							
City:			State:		Zip:		
Phone:			Fax:				
Sales Engineer: (if applicable)			Phone:				
Ship To Information (if different)							
Ship To:				PO#:			
Attention:							
Address:							
City:			State:		Zip:		
Requested Return Ship Date:			Ship Date:				
Tooling Information (use multiple sheets as may be required)							
Item Description	Quantity		Diameter		Inch	mm	
Minimum Acceptable Diameter¹ check if not applicable		Minimum Acceptable Length of Cut¹ check if not applicable					
Recoating	No	Ti-Namite (TiN)	Ti-Namite C (TiCN)	Ti-Namite A (AlTiN)			
Corner Radius	Original	Sharp	Chips Acceptable?		Yes	No	
Alterations²	Weldon Flat	Corner Radius	Size	Other			
	Neck	Neck Length	Neck Diameter				
Ends Only	Additional Instructions						
Item Description	Quantity		Diameter		Inch	mm	
Minimum Acceptable Diameter¹ check if not applicable		Minimum Acceptable Length of Cut¹ check if not applicable					
Recoating	No	Ti-Namite (TiN)	Ti-Namite C (TiCN)	Ti-Namite A (AlTiN)			
Corner Radius	Original	Sharp	Chips Acceptable?		Yes	No	
Alterations²	Weldon Flat	Corner Radius	Size	Other			
	Neck	Neck Length	Neck Diameter				
Ends Only	Additional Instructions						

* Some loss in cutting efficiency and/or performance should be expected with resharpened tools. Additional loss should be expected if not recoated.

• Due to the unequal helix design of the Z Carb end mill, reducing the flute length may have some effect on the vibration dampening properties of this tool.

1. KSPT will reduce the flute length and/or cutting diameter as needed to remove damaged areas, unless specified otherwise.

Restricting the minimum acceptable diameter and/or flute length may result in less than 100% removal of damaged areas.

2. Alterations from original will result in additional charges.

3. Product characteristics not specified by the customer will be manufactured to standard KSPT specification for similar products.